



Technical Equipment Distributors, Inc (TEDI)

Mobile Antennas, GPS & GPS Combinations

Mobile Antennas - GPS Antennas Low Profile, Transit, and/or Dual/Multi Band

Item Number	Description	VSWR	Gain (dBi)	Polarization	Radiator Material	List Price	Dealer Price
Mirror Mount - Maxmatics				RH Circular	PCB		Call
GPSPMRBN/NM	GPS PLUS MIRROR, BLACK BNC, "N" MALE	1.5:1	27	RH Circular	PCB	139.95	Call
GPSPMRC/NM	GPS PLUS MIRROR, BLACK, MTNC, NM	1.5:1	27	RH Circular	PCB	139.95	Call
GPSPMRMSMA/MSMA	GPS PLUS MIRROR, BLK, MSMA, MSMA	1.5:1	27	RH Circular	PCB	132.95	Call
GPSPMRMSMA/MSMARP	GPS PLUS MIRROR, BLK, MSMA, MSMARP	1.5:1	27	RH Circular	PCB	132.95	Call
GPSPMRMSMA/-NC	GPS PLUS, MIRROR, BLK, MSMA, -NC	1.5:1	27	RH Circular	PCB	131.95	Call
GPSPMRMSMA/PL	GPS PLUS, MIRROR, BLK, MSMA, PL	1.5:1	27	RH Circular	PCB	132.95	Call
GPSPMRRASBJ-NC	GPS PLUS MIRROR, BLK, RASBJ, -NC	1.5:1	27	RH Circular	PCB	131.95	Call
GPSPMRRASBP/-NC	GPS PLUS, MIRROR, BLK, RASBP, -NC	1.5:1	27	RH Circular	PCB	131.95	Call
WGSPMRMSMA/-NC	GPS PLUS, MIRROR, WHT, MSMA, -NC	1.5:1	27	RH Circular	PCB	131.95	Call
WGSPMRMSMA/PL	GPS PLUS, MIRROR, WHT, MSMA, PL	1.5:1	27	RH Circular	PCB	132.95	Call
WGSPMRRASBP/-NC	GPS PLUS, MIRROR, WHT, RASBP, -NC	1.5:1	27	RH Circular	PCB	131.95	Call
Trunk Mount - Maxmatics				RH Circular	PCB		Call
GPSPTMMCX/PL	GPS PLUS, TRK MT MCX PLUG MINI UHF	1.5:1	27	RH Circular	PCB	129.95	Call
GPSPTMMSMA/C	GPS PLUS, TRNK, BLK, MSMA, TNC	1.5:1	27	RH Circular	PCB	129.95	Call
GPSPTMMSMA/MSMA	GPS PLUS, TRUNK, BLACK, MSMA, MSMA	1.5:1	27	RH Circular	PCB	129.95	Call
GPSPTMMSMA/-NC	GPS PLUS, TRNK, BLK, MSMA, -NC	1.5:1	27	RH Circular	PCB	128.95	Call
GPSPTMMSMA/PL	GPS PLUS, TRUNK, BLK, MSMA, PL	1.5:1	27	RH Circular	PCB	129.95	Call
GPSPTMRASBP/-NC	GPS PLUS, TRUNK, BLK RASBP, -NC	1.5:1	27	RH Circular	PCB	128.95	Call
White				RH Circular	PCB		Call
WGSPPTMMSMA/PL	GPS PLUS, TRUNK, WHT, MSMA, PL	1.5:1	27	RH Circular	PCB	129.95	Call
WGSPPTMMSMA/-NC	GPS PLUS, TRNK, WHT, MSMA, -NC	1.5:1	27	RH Circular	PCB	128.95	Call
Maxrad TGPS Series GPS w/ open NMO Mount * Hi-Gain GPS Antenna* Combine GPS w/ Any Band							
TGPS26MSMA/M-NC	TNK MNT GPS 26DB MSMA W/ M MNT-NC		27	RH Circular	PCB	179.00	Call
TGPS26RAMSMA/MP	TNK MNT GPS 26 DB RAMSMA W/M MNT TF PL259		27	RH Circular	PCB	180.00	Call
TGPS26RASBP/M-NC	TNK MNT GPS 26 DB RASBP W/M MNT-NC		27	RH Circular	PCB	179.00	Call
Maxrad AGPS Series GPS * Hi-Gain GPS Antenna* 26 or 31 dB Gain * Mag, Screw, or Tape Mounting Options							
AGPS26TMBN	26 dB ACT GPS, TAPE MNT, MBNC	1.5:1	27	RH Circular	PCB	105.73	Call
AGPS26TMFSMA	26 dB ACT GPS, TAPE MNT, FSMA	1.5:1	27	RH Circular	PCB	105.73	Call
AGPS26TMFFME	26 dB ACT GPS, TAPE MNT, FFME	1.5:1	27	RH Circular	PCB	105.73	Call
AGPS26TMMC	26 dB ACT GPS, TAPE MNT, MTNC	1.5:1	27	RH Circular	PCB	105.73	Call
AGPS26TMSMA	26 dB ACT GPS, TAPE MNT, MSMA	1.5:1	27	RH Circular	PCB	105.73	Call
AGPS26TMMXP	26 dB ACT GPS, TAPE MNT, MXP	1.5:1	27	RH Circular	PCB	105.73	Call
AGPS26TM-NC	26 DB ACT GPS, TAPE MOUNT, NC	1.5:1	27	RH Circular	PCB	104.73	Call
AGPS26TMRAMMCX	26 dB ACT GPS, TAPE MNT, RAMMCX	1.5:1	27	RH Circular	PCB	105.73	Call
AGPS26TMRAMXP	26 dB ACT GPS, TAPE MNT, RAMXP	1.5:1	27	RH Circular	PCB	105.73	Call
AGPS26TMRASBJ	26 dB ACT GPS, TAPE MNT, RA SBJ	1.5:1	27	RH Circular	PCB	105.73	Call
AGPS26TMRASBP	26 dB ACT GPS, TAPE MNT, R/A SBP	1.5:1	27	RH Circular	PCB	105.73	Call
AGPS31TMBN	31DB, ACT GPS, TAPE MNT, MBNC	1.5:1	27	RH Circular	PCB	110.73	Call
AGPS31TMFFME	31DB, ACT GPS, TAPE MNT, FFME	1.5:1	27	RH Circular	PCB	110.73	Call
AGPS31TMFSMA	31 dB ACT GPS, TAPE MNT, FSMA	1.5:1	27	RH Circular	PCB	110.73	Call
AGPS31TMMC	31DB, ACT GPS, TAPE MNT, MTNC	1.5:1	27	RH Circular	PCB	110.73	Call
AGPS31TMSMA	31 dB ACT GPS, TAPE MNT, MSMA	1.5:1	27	RH Circular	PCB	110.73	Call
AGPS31TMSMA//	31 DB ACT GPS TAPE MOUNT MSMA	1.5:1	27	RH Circular	PCB	110.73	Call
AGPS31TMMXP	31 dB, ACT GPS, TAPE MNT, MXP	1.5:1	27	RH Circular	PCB	110.73	Call
AGPS31TMRAMMCX	31 dB, ACT GPS, TAPE MNT, RAMMCX	1.5:1	27	RH Circular	PCB	110.73	Call
AGPS31TMRAMXP	31 dB, ACT GPS, TAPE MNT, RAMXP	1.5:1	27	RH Circular	PCB	110.73	Call
AGPS31TMRASBJ	31dB ACT GPS, TAPE MT, R/A SMB JACK	1.5:1	27	RH Circular	PCB	110.73	Call
AGPS31TMRASBP	31dB ACT GPS, TAPE MT, R/A SMB PLUG	1.5:1	27	RH Circular	PCB	110.73	Call
AGPS26MMBN	26 DB ACT GPS, MAG MT, BNC PLUG	1.5:1	27	RH Circular	PCB	105.73	Call
AGPS26MMFFME	26 dB ACT GPS, MAG MNT, FFME	1.5:1	27	RH Circular	PCB	105.73	Call
AGPS26MMFSMA	26 dB ACT GPS, MAG MNT, FSMA	1.5:1	27	RH Circular	PCB	105.73	Call
AGPS26MMMC	26 dB ACT GPS, MAG MNT, M TNC	1.5:1	27	RH Circular	PCB	105.73	Call
AGPS26MMMCX	26DB ACT GPS, MAG MNT, MMCX	1.5:1	27	RH Circular	PCB	105.73	Call
AGPS26MMMSMA	26 dB ACT GPS, MAG MNT, MSMA	1.5:1	27	RH Circular	PCB	105.73	Call
AGPS26MMMXP	26 dB ACT GPS, MAG MNT, MXP	1.5:1	27	RH Circular	PCB	105.73	Call
AGPS26MMRAMMCX	26 dB ACT GPS, MAG MNT, R/A MMCX	1.5:1	27	RH Circular	PCB	105.73	Call
AGPS26MMRAMXP	26 dB ACT GPS, MAG MNT, R/A MXP	1.5:1	27	RH Circular	PCB	105.73	Call
AGPS26MMRASBJ	26 dB ACT GPS, MAG MNT, RASBJ	1.5:1	27	RH Circular	PCB	105.73	Call
AGPS26MMRASBP	26dB ACT GPS, MAG MT, RT ANG SMB PLG	1.5:1	27	RH Circular	PCB	105.73	Call
AGPS31MMBN	31 dB ACT GPS, MAG MNT, M BVC	1.5:1	27	RH Circular	PCB	110.73	Call





Technical Equipment Distributors, Inc (TEDI)

Mobile Antennas, GPS & GPS Combinations

Mobile Antennas - GPS Antennas Low Profile, Transit, and/or Dual/Multi Band

Item Number	Description	VSWR	Gain (dBI)	Polarization	Radiator Material	List Price	Dealer Price
Maxrad AGPS Series GPS * Hi-Gain GPS Antenna* 26 or 31 dB Gain * Mag, Screw, or Tape Mounting Options							
AGPS31MMFSMA	31 dB ACT GPS,MAG MNT,FSMA	1.5:1	27	RH Circular	PCB	110.73	Call
AGPS31MMMC	31 dB, ACT GPS, MAG MNT,	1.5:1	27	RH Circular	PCB	110.73	Call
AGPS31MMMSMA	31 dB ACT GPS,MAG MT,MSMA	1.5:1	27	RH Circular	PCB	110.73	Call
AGPS31MMMXP	31 dB ACT GPS, MAG MNT, MXP	1.5:1	27	RH Circular	PCB	110.73	Call
AGPS31MMRAMMCX	31 dB ACT GPS,MAG MNT,RAMMCX	1.5:1	27	RH Circular	PCB	110.73	Call
AGPS31MMRAMXP	31 dB ACT GPS,MAG MNT,RAMXP	1.5:1	27	RH Circular	PCB	110.73	Call
AGPS31MMRASBJ	31 DB ACT GPS, MAG MNT, RASBJ	1.5:1	27	RH Circular	PCB	110.73	Call
AGPS31MMRASBP	31dB ACT GPS,MAG MNT,RASBP	1.5:1	27	RH Circular	PCB	110.73	Call
AGPS31MMRPMSMA	31DB,ACT GPS,MAG MNT,RPMSMA	1.5:1	27	RH Circular	PCB	110.73	Call
AGPS26SMBN	26dB ACT GPS,SCRW MT,MBNC	1.5:1	27	RH Circular	PCB	105.73	Call
AGPS26SMFFME	26 dB ACT GPS,SCR MNT,FFME	1.5:1	27	RH Circular	PCB	105.73	Call
AGPS26SMFSMA	26 dB ACT GPS,SCR MNT,FSMA	1.5:1	27	RH Circular	PCB	105.73	Call
AGPS26SMMC	26 dB ACT GPS,SCR MNT,MTNC	1.5:1	27	RH Circular	PCB	105.73	Call
AGPS26SMMC//	26 DB, ACT GPS, SCR MNT, MTNC	1.5:1	27	RH Circular	PCB	105.73	Call
AGPS26SMMSMA	26DB ACT GPS,SCRW MT,MSMA	1.5:1	27	RH Circular	PCB	105.73	Call
AGPS26SMMXP	26 dB ACT GPS, SCR MNT,MXP	1.5:1	27	RH Circular	PCB	105.73	Call
AGPS26SMRAMMCX	26 dB ACT GPS,SCR MNT,R/A MMCX	1.5:1	27	RH Circular	PCB	105.73	Call
AGPS26SMRAMXP	26 dB ACT GPS,SCR MNT,R/A MXP	1.5:1	27	RH Circular	PCB	105.73	Call
AGPS26SMRASBJ	26 dB ACT GPS,SCR MNT,R/A SBJ	1.5:1	27	RH Circular	PCB	105.73	Call
AGPS26SMRASBP	26 dB ACT GPS, SCR MNT, RASBP	1.5:1	27	RH Circular	PCB	105.73	Call
AGPS31SMBN	31 dB,ACT GPS,SCR MNT,BNC	1.5:1	27	RH Circular	PCB	110.73	Call
AGPS31SMFFME	31 DB ACT GPS, SCR MNT, FFME	1.5:1	27	RH Circular	PCB	110.73	Call
AGPS31SMFSMA	31 dB,ACT GPS,SCR MNT,FSMA	1.5:1	27	RH Circular	PCB	110.73	Call
AGPS31SMMC	31DB,ACT GPS,SCR MNT,MTNC	1.5:1	27	RH Circular	PCB	110.73	Call
AGPS31SMMSMA	31DB ACT GPS,SCR MNT,MSMA	1.5:1	27	RH Circular	PCB	110.73	Call
AGPS31SMMXP	31 DB ACT GPS, SCR MNT, MXP	1.5:1	27	RH Circular	PCB	110.73	Call
AGPS31SMRAMMCX	31 DB ACT GPS, SCR MNT, RAMMCX	1.5:1	27	RH Circular	PCB	110.73	Call
AGPS31SMRAMXP	31 DB ACT GPS, SCR MNT, RAMXP	1.5:1	27	RH Circular	PCB	110.73	Call
AGPS31SMRASBJ	31DB,ACT GPS,SCR MNT,RASBJ	1.5:1	27	RH Circular	PCB	110.73	Call
AGPS31SMRASBP	31DB,ACT GPS,SCR MNT,RASBP	1.5:1	27	RH Circular	PCB	110.73	Call
AGPS26MRBN	26DB ACT GPS,MIRROR MT,MBNC	1.5:1	27	RH Circular	PCB	135.21	Call
AGPS26MRFFME	26 dB ACT GPS,MIR MNT,FFME	1.5:1	27	RH Circular	PCB	135.21	Call
AGPS26MRFSMA	26 dB ACT GPS,MIR MNT,FSMA	1.5:1	27	RH Circular	PCB	135.21	Call
AGPS26MRMC	26 dB ACT GPS,MIR MNT,MTNC	1.5:1	27	RH Circular	PCB	135.21	Call
AGPS26MRMSMA	26DB ACT GPS,MIRROR MT,MSMA	1.5:1	27	RH Circular	PCB	135.21	Call
AGPS26MRMXP	26 dB ACT GPS,MIR MNT,MXP	1.5:1	27	RH Circular	PCB	135.21	Call
AGPS26MRRAMMCX	26 dB ACT GPS,MIR MNT,R/A MMCX	1.5:1	27	RH Circular	PCB	135.21	Call
AGPS26MRRAMXP	26dB ACT GPS,MIRROR MT,R/A MCX PLG	1.5:1	27	RH Circular	PCB	135.21	Call
AGPS26MRRASBJ	26 dB ACT GPS,MIR MNT,RASBJ	1.5:1	27	RH Circular	PCB	135.21	Call
AGPS26MRRASBP	26 dB ACT GPS,MIR MNT,RASBP	1.5:1	27	RH Circular	PCB	135.21	Call
AGPS31MRBN	31 dB ACT GPS, MIR MNT, BN	1.5:1	27	RH Circular	PCB	110.73	Call
AGPS31MRFFME	31 dB ACT GPS, MIR MNT, FFME	1.5:1	27	RH Circular	PCB	110.73	Call
AGPS31MRFSMA	31 dB ACT GPS, MIR MNT, FSMA	1.5:1	27	RH Circular	PCB	110.73	Call
AGPS31MRMC	31DB ACT GPS,MIR MNT, MTNC	1.5:1	27	RH Circular	PCB	140.21	Call
AGPS31MRMSMA	31 dB ACT GPS,MIR MNT,MSMA	1.5:1	27	RH Circular	PCB	140.21	Call
AGPS31MRMXP	31 dBCTPS, MIR MNT, MXP	1.5:1	27	RH Circular	PCB	110.73	Call
AGPS31MRRAMMCX	31 dB ACT GPS, MIR MNT, RAMMCX	1.5:1	27	RH Circular	PCB	110.73	Call
AGPS31MRRAMXP	31 dB ACT GPS, MIR MNT, RAMXP	1.5:1	27	RH Circular	PCB	110.73	Call
AGPS31MRRASBJ	31 DB ACT GPS, MIR MNT, RASBJ	1.5:1	27	RH Circular	PCB	110.73	Call
AGPS31MRRASBP	31 DB ACT GPS, MIR MNT, RASBP	1.5:1	27	RH Circular	PCB	110.73	Call



Mobile Antennas - GPS Antennas Low Profile, Transit, and/or Dual/Multi Band



Technical Equipment Distributors, Inc (TEDI)

Mobile Antennas, GPS & GPS Combinations

Item Number	Description VSWR	Gain (dBI)	Polarization	Radiator Material	List Price	Dealer Price
Antenex - AVL - Dual Band GPS/ 700 - PCS Phantom™ Technology Antenna <i>Through Roof Stud Mount * 14' RG174/GPS & RG58/Transmit Antenna</i>						
GPSD7463P	(Eng)2Band AVL GPS-14'174-SMA male/Phant746-786-14'58-TNC St	27	RH Circular	PCB	200.00	Call
GPSDS7463CP	(Eng)Survivor GPSw/14'174&SMBPL, 746-796 3db w/14'58&TNCML	27	RH Circular	PCB	162.00	Call
GPSDS7463P	(Eng)Survivor GPSw/14'174&SMBPL, 746-869 3db w/14'58&TNCML	27	RH Circular	PCB	162.00	Call
Call						
GPSD8063G	Dual Band Survivor 806-866 MHz 806-866-MHz 3 dB/GPS magnetic	27	RH Circular	PCB	200.00	Call
GPSD8063P	2Band AVL GPS-14'174-SMBPlug/Phant806-866-14'58-TNC Stu	27	RH Circular	PCB	200.00	Call
GPSD8213P	2Band AVL GPS-14'174-SMBPlug Phant821-896- 14'58-TNC S	27	RH Circular	PCB	200.00	Call
GPSD8213PTSM16	(ENG)AVL dual band 821-896 MHz&GPS.TNC/GPS&SMA/Radio 16ft	27	RH Circular	PCB	210.00	Call
GPSDS8060P	(Eng)Survivor GPSw/14'174&SMBPL, 806-896 0db w/14'58&TNCML	27	RH Circular	PCB	160.00	Call
GPSDS8063G	(Eng)Dual band 806-866 MHz 3 dB / GPS with magnetic mount.	27	RH Circular	PCB	200.00	Call
GPSDS8063P	Survivor GPSw/14'174&SMBPL, 806-866 3db w/14'58&TNCML	27	RH Circular	PCB	162.00	Call
GPSDS8065P	(Eng)Survivor GPSw/14'174&SMBPL, 806-866 5db w/14'58&TNCML	27	RH Circular	PCB	165.50	Call
GPSDW8063P	2Band AVL wht GPS-14'174-SMBPlug/Phant806-866-14'58-TNC Stu	27	RH Circular	PCB	225.00	Call
GPSD8903P	2Band AVL GPS-14'174-SMBPlug/Phant890-960-14'58-TNC Stu	27	RH Circular	PCB	200.00	Call
GPSD9023P	2Band AVL GPS-14'174-SMBPlug/Phant902-928-14'58-TNC S	27	RH Circular	PCB	200.00	Call
GPSD9023PNSMB	2Band AVL GPS-14'174-SMBPlug/Phant902-928-14'58-N S	27	RH Circular	PCB	250.00	Call
GPSDS9023CP	(Eng)Survivor GPSw/14'174&SMBPL,902-928 3db closed 14'58&TNC	27	RH Circular	PCB	162.00	Call
GPSDS9023P	(Eng)Survivor GPSw/14'174&SMBPL, 902-928 3db w/14'58&TNCML	27	RH Circular	PCB	162.00	Call
GPST821/18503P	GPS Tri Band 821-896/1850-1990 MHz 3 dB Meg AVL Antenn	27	RH Circular	PCB	250.00	Call
GPSTW821/18503P	White GPS Tri Band 821-896/1850-1990 MHz 3 dB Meg AVL Anten	27	RH Circular	PCB	250.00	Call
Antenex - Micro GPSx Antenna - Comes with an Attached Bracket for NMO Mount <i>14' RG174/GPS & RG58/Transmit Antenna</i>						
GPSNMOAO	Active GPS ant & add-on bracket for NMO mtg no conn	27	RH Circular	PCB	85.00	Call
Call						
GPSNMOAO20	Active GPS & add-on bracket for NMO mtg no conn 20 ft cable	27	RH Circular	PCB	250.00	Call
GPSNMOAO20-SMB	GPS ant 20 Ft. RG174 & add-on brkt for NMO w/CSMB174	27	RH Circular	PCB	150.00	Call
GPSNMOAO-26-BN	Active GPS antenna & add-on bracket for NMO mnt w/SMA plug i	27	RH Circular	PCB	153.45	Call
GPSBNMOAO	Black stainless NMO add on bracket with active GPS no conn	27	RH Circular	PCB	90.00	Call
Antenex - GPSx / Phantom - Low Profile Dual Band w/ Optimized Mutual Coupling Design <i>Through Roof Stud Mount * 14' RG174/GPS & RG58/Transmit Antenna</i>						
GPSD4103P	Dual band GPS-14'174-SMBPlug/Phantom410-425-14'58-N StudMtg	27	RH Circular	PCB	200.00	Call
GPSD4503P	2Band GPS-14'174-SMBPlug/Phantom 450-470-14'58-N Conn	27	RH Circular	PCB	200.00	Call
GPSD4903P	2Band GPS-14'174-SMBPlug/Phantom490-512-14'58-N StudMtg	27	RH Circular	PCB	200.00	Call
GPSDS3800P	(Eng)Survivor GPSw/14'174&SMB, 380-400 0db w/14'58A/U&TNC	27	RH Circular	PCB	160.00	Call
GPSDS4000P	(Eng)Survivor GPSw/14'174&SMB, 400-430 0db w/14'58A/U&TNC	27	RH Circular	PCB	160.00	Call
GPSDS4500P	(Eng)Survivor GPSw/14'174&SMB, 450-470 0db w/14'58A/U&TNC	27	RH Circular	PCB	160.00	Call
GPSDS4503CP	(Eng) 450-470 MHz 3 dB Survivor dual band with GPS	27	RH Circular	PCB	225.00	Call
GPSDS4700P	(Eng)Survivor GPSw/14'174&SMB, 470-512 0db w/14'58A/U&TNC	27	RH Circular	PCB	160.00	Call
GPSDS5000P	(Eng)Survivor GPSw/14'174&SMB, 494-520 0db w/14'58A/U&TNC	27	RH Circular	PCB	160.00	Call
GPSDS1370G	(ENG)Survivor(tm) GPSw/14'174, 137-150 0db w/14'58A/U. Speci	27	RH Circular	PCB	200.00	Call
GPSDS1370P	Survivor(tm) GPSw/14'174&SMB, 137-150 0db w/14'58A/U&TNC	27	RH Circular	PCB	160.00	Call
GPSDS1370PLP	(Eng)Survivor GPSw/14'174&SMBPL, 137-150 duck w/14'58&CSMA58	27	RH Circular	PCB	160.00	Call
GPSDS1500P	(Eng)Survivor GPSw/14'174&SMBPL, 150-160 0db w/14'58&TNCML	27	RH Circular	PCB	160.00	Call
Antenex - Micro GPSx Antenna - Comes with Trunk or Magnet Mount <i>5 VDC Operating Voltage* 14' RG174/GPS & RG58/Transmit Antenna</i>						
GPSM15GSMC	GPS Micro 1.5GHz Magntc Base SMC connector	27	RH Circular	PCB	99.00	Call
GPSPATCH	26DB GPS ACTIVE PATCH ANT SMA	27	RH Circular	PCB	113.32	Call
NMO Mounted Versions						
GPSU15M	G- 3V or 5V GPS active 26dB antenna in black for NMO mounting	27	RH Circular	PCB	95.00	Call
GPSU15M5	5V GPS active 26dB antenna in black for NMO mounting	27	RH Circular	PCB	95.00	Call
GPSUW15M	G-3V GPS active 26db antenna in white for NMO mounting	27	RH Circular	PCB	95.00	Call
GPSUW15M5	5v GPS active 26db antenna in white for NMO mounting	27	RH Circular	PCB	115.00	Call

