



Technical Equipment Distributors, Inc (TEDI)

Site Equipment – Coupler & Splitters

Cross Band Couplers

EMR - Cross Band Couplers- N-Female Connectors

Model	Freq	Description	Isolation	Input	Insertion	List	Resell
				Power	Loss		
6051/CGK	118-138/406-512	Interior/Mobile	60 dB	125 W	0.7 dB	\$360.00	Call
6052/CGK-E	118-138/406-512	Exterior	60 dB	125 W	0.7 dB	\$820.00	Call
6051/CHK	138-174/406-512	Interior/Mobile	60 dB	125 W	0.7 dB	\$360.00	Call
6052/CHK-E	138-174/406-512	Exterior	60 dB	125 W	0.7 dB	\$820.00	Call
6051/CGS	118-138/806-960	Interior/Mobile	60 dB	125 W	0.7 dB	\$360.00	Call
6052/CGS-E	118-138/806-960	Exterior	60 dB	125 W	0.7 dB	\$820.00	Call
6051/CHS	138-174/806-960	Interior/Mobile	60 dB	125 W	0.7 dB	\$360.00	Call
6052/CHS-E	138-174/806-960	Exterior	60 dB	125 W	0.7 dB	\$820.00	Call
6051/CKS	406-512/806-960	Interior/Mobile	60 dB	125 W	0.7 dB	\$360.00	Call
6052/CKS-E	406-512/806-960	Exterior	60 dB	125 W	0.7 dB	\$820.00	Call



6052 Type



6051 Type

Telewave - Cross Band Couplers

Model	Freq	Description	Isolation	Input Power	Insertion Loss	List	Resell
TS-1545	132-174 & 406-470	Sealed, Wide Pass	60 dB	150 W	.2 dB	\$309.00	Call
TS-1545H	132-174 & 406-470	Sealed, Wide Pass	60 dB	400 W	.2 dB	\$377.00	Call
TS-1546	132-174 & 450-512	Sealed, Wide Pass	60 dB	150 W	.2 dB	\$309.00	Call
TS-1546H	132-174 & 450-512	Sealed, Wide Pass	60 dB	400 W	.2 dB	\$377.00	Call
TS-1580	132-174 & 806-902	Sealed, Wide Pass	60 dB	150 W	.2 dB	\$309.00	Call
TS-1580H	132-174 & 806-902	Sealed, Wide Pass	60 dB	400 W	.2 dB	\$377.00	Call
TS-1590	132-174 & 850-960	Sealed, Wide Pass	60 dB	150 W	.2 dB	\$309.00	Call
TS-1590H	132-174 & 850-960	Sealed, Wide Pass	60 dB	400 W	.2 dB	\$377.00	Call
TS-2246	219-225 & 406-512	Sealed, Wide Pass	60 dB	150 W	.2 dB	\$309.00	Call
TS-2246H	219-225 & 406-512	Sealed, Wide Pass	60 dB	400 W	.2 dB	\$377.00	Call
TS-4680	440-470 & 806-870	Sealed, Wide Pass	60 dB	400 W	.2 dB	\$309.00	Call
TS-4690	440-470 & 896-932	Sealed, Wide Pass	60 dB	400 W	.2 dB	\$309.00	Call
TS-4780	470-512 & 896-932	Sealed, Wide Pass	60 dB	400 W	.2 dB	\$309.00	Call



TS-1580
132-174 MHz
806-902 MHz

Line Taps

EMR - Impedance is 50 ohms * Input Power is 250 Watts

Model	Freq	Coupling Range	Tap off to thru-line	Number	Input Power	Dimensions	List	Resell
				of Tap Points				
2492/T	150-174	6-25 dB	6-25 dB	1	250 W	11.75x1x2	\$205.00	Call
2492/T2	150-174	6-25 dB	6-25 dB	2	250 W	11.75x1x2.75	\$270.00	Call
2492/T4	150-174	6-25 dB	6-25 dB	4	250 W	24x1x2.75	\$400.00	Call
2592/T	406-512	6-25 dB	6-25 dB	1	250 W	11.75x1x2	\$185.00	Call
2592/T2	406-512	6-25 dB	6-25 dB	2	250 W	8x1x2	\$250.00	Call
2592/T4	406-512	6-25 dB	6-25 dB	4	250 W	14x1x2.75	\$380.00	Call
2692/T-8	806-894	6-25 dB	6-25 dB	1	250 W	5.5x1x1.75	\$175.00	Call
2692/T2-8	806-894	6-25 dB	6-25 dB	2	250 W	5.5x1x2.75	\$245.00	Call
2692/T4-8	806-894	6-25 dB	6-25 dB	4	250 W	11.75x1x2.75	\$370.00	Call
2692/T-9	894-960	6-25 dB	6-25 dB	1	250 W	5.5x1x1.75	\$175.00	Call
2692/T2-9	894-960	6-25 dB	6-25 dB	2	250 W	5.5x1x2.75	\$245.00	Call
2692/T4-9	894-960	6-25 dB	6-25 dB	4	250 W	11x1x2.75	\$370.00	Call



2492/T2
Tap w/ 2 Tap Points



Technical Equipment Distributors, Inc (TEDI)

Site Equipment – Coupler & Splitters

Combiner / Splitters

Cell Antenna - Splitters

Model	Freq	Input Pwr Combiner	Total Loss	Type	Isolation	List	Resell
CAP210	700 - 2500 MHz	5W	3.5 dB	2 Way	60 dB	\$75.95	Call
CAP310	700 - 2500 MHz	5W	5.5dB	3 Way	60 dB	\$81.95	Call
CAP410	700 - 2500 MHz	5W	6.7dB	4 Way	60 dB	\$93.95	Call
CADP819	800-900/1800-2000	150W	.3 dB	Cross Band	60 dB	\$249.95	Call
EMR - Combiner / Splitter For Low Power Transmit Applications * 20 dB Port Isolation * N-Female Connectors							
2412-0/C	140-174	5.0 W	10.0W	2-way	20 dB min.	\$250.00	Call
2512-0/B	400-512	5.0 W	10.0 W	2-way	20 dB min.	\$250.00	Call
2514-0/B	400-512	5.0 W	10.0 W	4-way	20 dB min.	\$295.00	Call
2522-0/BH	400-512	15.0 W	30.0 W	2-way	20 dB min.	\$265.00	Call
2524-0/BH	400-512	15.0 W	30.0 W	4-way	20 dB min.	\$320.00	Call
2532-0/BHF	400-512	30.0 W	60.0 W	2-way	20 dB min.	\$480.00	Call
2534-0/BHF	400-512	30.0 W	60.0 W	4-way	20 dB min.	\$495.00	Call
2612-0/C	806-960	5.0 W	10.0 W	2-way	20 dB min.	\$250.00	Call
2614-0/C	806-960	5.0 W	10.0 W	4-way	20 dB min.	\$295.00	Call
2622-0/CH	806-960	15.0 W	30.0 W	2-way	20 dB min.	\$265.00	Call
2624-0/CH	806-960	15.0 W	30.0 W	4-way	20 dB min.	\$320.00	Call
2632-0/CHF	806-960	30.0 W	60.0 W	2-way	20 dB min.	\$480.00	Call
2634-0/CHF	806-960	30.0 W	60.0 W	4-way	20 dB min.	\$495.00	Call



2-Way



4-Way

Telewave - Power Dividers

Model	Freq	Connector	Loss	Type	Dimensions	List	Resell
ANTPD204	25-53 MHz	N(F)	.15dB	2-Way	76x1x2	\$206.00	Call
ANTPD204D	25-53 MHz	Din(F)	.15dB	2-Way	76x1x2	\$256.00	Call
ANTPD206	45-72 MHz	N(F)	.15dB	2-Way	51x1x2	\$206.00	Call
ANTPD206D	45-72 MHz	Din(F)	.15dB	2-Way	51x1x2	\$256.00	Call
ANTPD208	65-110 MHz	N(F)	.1dB	2-Way	38x3x3	\$156.00	Call
ANTPD208D	65-110 MHz	Din(F)	.1dB	2-Way	38x3x3	\$206.00	Call
ANTPD308	65-110 MHz	N(F)	.1dB	3-Way	38x3x3	\$219.00	Call
ANTPD308D	65-110 MHz	Din(F)	.1dB	3-Way	38x3x3	\$286.00	Call
ANTPD408	65-110 MHz	N(F)	.1dB	4-Way	38x3x3	\$239.00	Call
ANTPD408D	65-110 MHz	Din(F)	.1dB	4-Way	38x3x3	\$321.00	Call
ANTPD21	90-210 MHz	N(F)	.1dB	2-Way	21x3x3	\$135.00	Call
ANTPD21D	90-210 MHz	Din(F)	.1dB	2-Way	21x3x3	\$184.00	Call
ANTPD31	90-210 MHz	N(F)	.1dB	3-Way	21x3x3	\$191.00	Call
ANTPD31D	90-210 MHz	Din(F)	.1dB	3-Way	21x3x3	\$256.00	Call
ANTPD41	90-210 MHz	N(F)	.1dB	4-Way	21x3x3	\$204.00	Call
ANTPD41D	90-210 MHz	Din(F)	.1dB	4-Way	21x3x3	\$283.00	Call
ANTPD22	180-250 MHz	N(F)	.15dB	2-Way	16x3x3	\$135.00	Call
ANTPD22D	180-250 MHz	Din(F)	.15dB	2-Way	16x3x3	\$184.00	Call
ANTPD32	180-250 MHz	N(F)	.15dB	3-Way	16x3x3	\$191.00	Call
ANTPD32D	180-250 MHz	Din(F)	.15dB	3-Way	16x3x3	\$256.00	Call
ANTPD42	180-250 MHz	N(F)	.15dB	4-Way	16x3x3	\$204.00	Call
ANTPD42D	180-250 MHz	Din(F)	.15dB	4-Way	16x3x3	\$283.00	Call
ANTPD23	250-450 MHz	N(F)	.2dB	2-Way	10x3x3	\$135.00	Call
ANTPD23D	250-450 MHz	Din(F)	.2dB	2-Way	10x3x3	\$184.00	Call
ANTPD33	250-450 MHz	N(F)	.2dB	3-Way	10x3x3	\$191.00	Call
ANTPD33D	250-450 MHz	Din(F)	.2dB	3-Way	10x3x3	\$256.00	Call
ANTPD43	250-450 MHz	N(F)	.2dB	4-Way	10x3x3	\$204.00	Call
ANTPD43D	250-450 MHz	Din(F)	.2dB	4-Way	10x3x3	\$283.00	Call
ANTPD24	350-600 MHz	N(F)	.2dB	2-Way	8.5x3x3	\$123.00	Call
ANTPD24D	350-600 MHz	Din(F)	.2dB	2-Way	8.5x3x3	\$172.00	Call



ANTPD23



ANTPD27D



Technical Equipment Distributors, Inc (TEDI)

Site Equipment – Coupler & Splitters

Telewave - Power Dividers (Continued)

Model	Freq	Connector	Insertion		Dimensions	List	Resell
			Loss	Type			
ANTPD34	350-600 MHz	N(F)	.2dB	3-Way	8.5x3x3	\$184.00	Call
ANTPD34D	350-600 MHz	Din(F)	.2dB	3-Way	8.5x3x3	\$250.00	Call
ANTPD44	350-600 MHz	N(F)	.2dB	4-Way	8.5x3x3	\$198.00	Call
ANTPD44D	350-600 MHz	Din(F)	.2dB	4-Way	8.5x3x3	\$278.00	Call
ANTPD27	675-850 MHz	N(F)	.2dB	2-Way	7x3x3	\$123.00	Call
ANTPD27D	675-850 MHz	Din(F)	.2dB	2-Way	7x3x3	\$172.00	Call
ANTPD37	675-850 MHz	N(F)	.2dB	3-Way	7x3x3	\$184.00	Call
ANTPD37D	675-850 MHz	Din(F)	.2dB	3-Way	7x3x3	\$250.00	Call
ANTPD47	675-850 MHz	N(F)	.2dB	4-Way	7x3x3	\$198.00	Call
ANTPD47D	675-850 MHz	Din(F)	.2dB	4-Way	7x3x3	\$278.00	Call
ANTPD28	760-920 MHz	N(F)	.2dB	2-Way	5.5x3x3	\$123.00	Call
ANTPD28D	760-920 MHz	Din(F)	.2dB	2-Way	5.5x3x3	\$172.00	Call
ANTPD38	760-920 MHz	N(F)	.2dB	3-Way	5.5x3x3	\$184.00	Call
ANTPD38D	760-920 MHz	Din(F)	.2dB	3-Way	5.5x3x3	\$250.00	Call
ANTPD48	760-920 MHz	N(F)	.2dB	4-Way	5.5x3x3	\$198.00	Call
ANTPD48D	760-920 MHz	Din(F)	.2dB	4-Way	5.5x3x3	\$278.00	Call
ANTPD29	900-1100 MHz	N(F)	.22dB	2-Way	5x3x3	\$123.00	Call
ANTPD29D	900-1100 MHz	Din(F)	.22dB	2-Way	5x3x3	\$172.00	Call
ANTPD39	900-1100 MHz	N(F)	.22dB	3-Way	5x3x3	\$184.00	Call
ANTPD39D	900-1100 MHz	Din(F)	.22dB	3-Way	5x3x3	\$250.00	Call
ANTPD49	900-1100 MHz	N(F)	.22dB	4-Way	5x3x3	\$198.00	Call
ANTPD49D	900-1100 MHz	Din(F)	.22dB	4-Way	5x3x3	\$278.00	Call
ANTPD214	1350-1600 MHz	N(F)	.22dB	2-Way	4x3x3	\$172.00	Call
ANTPD214D	1350-1600 MHz	Din(F)	.22dB	2-Way	4x3x3	\$172.00	Call
ANTPD314	1350-1600 MHz	N(F)	.22dB	3-Way	4x3x3	\$184.00	Call
ANTPD314D	1350-1600 MHz	Din(F)	.22dB	3-Way	4x3x3	\$250.00	Call
ANTPD414	1350-1600 MHz	N(F)	.22dB	4-Way	4x3x3	\$198.00	Call
ANTPD414D	1350-1600 MHz	Din(F)	.22dB	4-Way	4x3x3	\$278.00	Call
ANTPD218	1700-2050 MHz	N(F)	.22dB	2-Way	4x3x3	\$123.00	Call
ANTPD218D	1700-2050 MHz	Din(F)	.22dB	2-Way	4x3x3	\$172.00	Call
ANTPD318	1700-2050 MHz	N(F)	.22dB	3-Way	4x3x3	\$184.00	Call
ANTPD318D	1700-2050 MHz	Din(F)	.22dB	3-Way	4x3x3	\$250.00	Call
ANTPD418	1700-2050 MHz	N(F)	.22dB	4-Way	4x3x3	\$198.00	Call
ANTPD418D	1700-2050 MHz	Din(F)	.22dB	4-Way	4x3x3	\$278.00	Call
ANTPD224	2000-2500 MHz	N(F)	.22dB	2-Way	3x3x3	\$123.00	Call
ANTPD224D	2000-2500 MHz	Din(F)	.22dB	2-Way	3x3x3	\$250.00	Call
ANTPD324	2000-2500 MHz	N(F)	.22dB	3-Way	3x3x3	\$184.00	Call
ANTPD324D	2000-2500 MHz	Din(F)	.22dB	3-Way	3x3x3	\$250.00	Call
ANTPD424	2000-2500 MHz	N(F)	.22dB	4-Way	3x3x3	\$198.00	Call
ANTPD424D	2000-2500 MHz	Din(F)	.22dB	4-Way	3x3x3	\$278.00	Call




ANTPD208

Hybrid Couplers

EMR - Max VSWR - 1.5:1 * 25+dB Port Isolation * Insertion Loss - 3.2 dB

Model	Freq	Description	Input Power	Panel Dimensions	Conn Types	List	Resell
2350/0	66-108	Hybrid Coupler	150 W	N/A	N Female	\$530.00	Call
2350/4	66-108	Hybrid, 60 W load	60 W	3.5" x 19"	N Female	\$670.00	Call
2350/5	66-108	Hybrid, 125 W load	125 W	3.5" x 19"	N Female	\$860.00	Call
2350/5A	66-108	Hybrid, 150 W load	150 W	3.5" x 19"	N Female	\$920.00	Call
2450/0	108-225	Hybrid Coupler	150 W	N/A	N Female	\$530.00	Call
2450/4	108-225	Hybrid, 60 W load	60 W	3.5" x 19"	N Female	\$670.00	Call
2450/5	108-225	Hybrid, 125 W load	125 W	3.5" x 19"	N Female	\$860.00	Call
2450/5A	108-225	Hybrid, 150 W load	150 W	3.5" x 19"	N Female	\$920.00	Call
2450/6	108-225	Hybrid, 250 W load	250 W	8.75" x 19"	N Female	\$1,020.00	Call



2350/5



2350/0



Technical Equipment Distributors, Inc (TED)

Site Equipment – Coupler & Splitters

Hybrid Couplers (Cont.)

EMR - Max VSWR - 1.5:1 * 25+dB Port Isolation * Insertion Loss - 3.2 dB

Model	Freq	Description	Input Power	Panel Dimensions	Conn. Types	List	Resell
2550/0	406-512	Hybrid Coupler	150 W	N/A	N Female	\$510.00	Call
2550/4	406-512	Hybrid, 60 W load	60 W	3.5" x 19"	N Female	\$645.00	Call
2550/5	406-512	Hybrid, 125 W load	125 W	3.5" x 19"	N Female	\$840.00	Call
2550/5A	406-512	Hybrid, 150 W load	150 W	3.5" x 19"	N Female	\$895.00	Call
2550/6	406-512	Hybrid, 250 W load	250 W	8.75" x 19"	N Female	\$995.00	Call
2650/0	806-960	Hybrid Coupler	150 W	N/A	N Female	\$530.00	Call
2650/4	806-960	Hybrid, 60 W load	60 W	3.5" x 19"	N Female	\$670.00	Call
2650/5	806-960	Hybrid, 125 W load	125 W	3.5" x 19"	N Female	\$860.00	Call
2650/5A	806-960	Hybrid, 150 W load	150 W	3.5" x 19"	N Female	\$920.00	Call
2650/6	806-960	Hybrid, 250 W load	250 W	8.75" x 19"	N Female	\$1,020.00	Call
2650/7	806-960	Hybrid, 350 W load	350 W	8.75" x 19"	N Female	\$1,535.00	Call



2350/5

Telewave


Model	Freq	Description	Power	Min Separation	Conn. Types	List	Resell
Telewave							
TWH-150	144-174 MHz	Hybrid Coupler	400 W	None	N Female	\$473.00	Call
TWH-450	406-512 MHz	Hybrid Coupler	400 W	None	N Female	\$473.00	Call
TWH-900	806-960 MHz	Hybrid Coupler	400 W	None	N Female	\$513.00	Call

Power Dividers for Receive Applications

Model	Freq	Description	Power	Isolation (Typ/Min)	Conn. Types	List	Resell
Telewave - Receive Power Dividers							
PS-5002	10-1000 MHz	Broadband 2-Way	1 Watt	25/20dB	Specify	\$222.00	Call
PS-5004	10-1000 MHz	Broadband 4-Way	1 Watt	25/20dB	Specify	\$413.00	Call
PS-302	33-50 MHz	Low Band 2-Way	1 Watt	25/20dB	Specify	\$100.00	Call
PS-702	72-88 MHz	Mid Band 2-Way	1 Watt	25/20dB	Specify	\$100.00	Call
PS-1502	132-174 MHz	VHF Band 2-Way	1 Watt	25/20dB	Specify	\$100.00	Call
PS-1504	132-174 MHz	VHF Band 4-Way	1 Watt	25/20dB	Specify	\$185.00	Call
PS-3302	320-390 MHz	UHF Band 2-Way	1 Watt	25/20dB	Specify	\$100.00	Call
PS-4502	400-512 MHz	UHF Band 2-Way	1 Watt	25/20dB	Specify	\$100.00	Call
PS-4504	400-512 MHz	UHF Band 4-Way	1 Watt	25/20dB	Specify	\$185.00	Call
PS-4508-BNC	400-512 MHz	UHF Band 8-Way	1 Watt	25/20dB	BNC(F)	\$341.00	Call
PS-4508-N	400-512 MHz	UHF Band 8-Way	1 Watt	25/20dB	Specify	\$372.00	Call
PS-7602	764-824 MHz	700 MHz 2-Way	1 Watt	25/20dB	Specify	\$100.00	Call
PS-7604	764-824 MHz	700 MHz 4-Way	1 Watt	25/20dB	Specify	\$185.00	Call
PS-7608-BNC	764-824 MHz	700 MHz 8-Way	1 Watt	25/20dB	BNC(F)	\$341.00	Call
PS-7608-N	764-824 MHz	700 MHz 8-Way	1 Watt	25/20dB	N(F)	\$372.00	Call
PS-8602	806-960 MHz	800 MHz 2-Way	1 Watt	25/20dB	Specify	\$100.00	Call
PS-8604	806-960 MHz	800 MHz 4-Way	1 Watt	25/20dB	Specify	\$185.00	Call
PS-8608-BNC	806-960 MHz	800 MHz 8-Way	1 Watt	25/20dB	N(F)	\$341.00	Call
PS-8608-N	806-960 MHz	800 MHz 8-Way	1 Watt	25/20dB	N(F)	\$372.00	Call



Four-Way Splitter



2 way Splitter



Technical Equipment Distributors, Inc (TED)

Site Equipment – Coupler & Splitters

Power Dividers for Receive Applications (Continued)

EMR							
Model	Freq	Type	Power	Input Conn	Output Conn	List	Resell
2302-1/2A	30-960	2-way	1 Watt	20 dB min	BNC Female	\$130.00	Call
2302-0/2A	30-960	2-way	1 Watt	20 dB min	N Female	\$155.00	Call
2304-1/2A	30-960	4-way	1 Watt	20 dB min	BNC Female	\$155.00	Call
2304-0/2A	30-960	4-way	1 Watt	20 dB min	N Female	\$200.00	Call
2308-1/2A	30-700	8-way	1 Watt	20 dB min	BNC Female	\$330.00	Call
2308-0/2A	30-700	8-way	1 Watt	20 dB min	N Female	\$420.00	Call
2608-1/2C	700-960	8-way	1 Watt	20 dB min	BNC Female	\$330.00	Call
2608-0/2C	700-960	8-way	1 Watt	20 dB min	N Female	\$420.00	Call



4 Way Splitter



2 Way Splitter

Combiner Junctions

Telewave							
Model	Freq	Type	Power	Input Conn	Output Conn	List	Resell
TW4-150	4-Way Junction 70-250 MHz	4-way	400 W	N(F)	N(F)	\$259.00	Call
TW4-450	4-Way Junction 450-512 MHz	4-way	400 W	N(F)	N(F)	\$259.00	Call
TW4-50	4-Way Junction 30-54 MHz	4-way	400 W	N(F)	N(F)	\$259.00	Call
TW4-800	4-Way Junction 806-960 MHz	4-way	400 W	N(F)	N(F)	\$259.00	Call
TW4-800S	Junction w/ samp.port 806-960 MHz	4-way	400 W	N(F)	N(F)	\$294.00	Call
TW5-800	5-Way Junction 806-960 MHz	5-way	400 W	N(F)	N(F)	\$294.00	Call
TW6-150	6-Way Junction 70-250 MHz	6-way	400 W	N(F)	N(F)	\$294.00	Call
TW6-450	6-Way Junction 450-512 MHz	6-way	400 W	N(F)	N(F)	\$294.00	Call

No Picture

Loads and Port Terminations

Telewave - Impedance - 50 Ohms * 50% Overload Rating: 2 Minutes							
Model	Freq	Type	Power	Conn. Type	VSWR	List	Resell
TWL-01	0-2500 MHz	Port Termination	.1 W	Specify	1.22:1	\$20.00	Call
TWL-100	0-2500 MHz	Coaxial Dry Load	100W	Specify	1.05:1	\$299.00	Call
TWL-100HS	0-2500 MHz	High Standard Termination	100W	Specify	1.05:1	\$363.00	Call
TWL-150	0-2500 MHz	Coaxial Dry Bench Load	150W	Specify	1.05:1	\$370.00	Call
TWL-300	0-1000 MHz	Coaxial Dry Bench Load	300W	Specify	1.25:1	\$685.00	Call
TWL-35	0-1000 MHz	Coaxial Dry Load	35W	Specify	1.05:1	\$96.00	Call
TWL-50	0-2500 MHz	Coaxial Dry Load	50W	Specify	1.05:1	\$183.00	Call
TWL-60	0-1000 MHz	Coaxial Dry Load	60W	Specify	1.05:1	\$111.00	Call
TWL-75	0-2500 MHz	Coaxial Dry Load	75W	Specify	1.05:1	\$240.00	Call
TZM-50	30-54 MHz	E-Z Match - Transmitter to Load		Specify		\$149.00	Call
TZM-150	144-174 MHz	E-Z Match - Transmitter to Load		Specify		\$149.00	Call
TZM-450	400-512 MHz	E-Z Match - Transmitter to Load		Specify		\$149.00	Call
TZM-860	800-960 MHz	E-Z Match - Transmitter to Load		Specify		\$149.00	Call



TWL-60