



# Technical Equipment Distributors, Inc (TEDI)

## Mobile Antennas, 1700 - 5800 MHz

### Mobile Antennas - 1700 - 5800 MHz

Item Number	Description	VSWR	Gain (dBI)	Polarization	Radiator Material	List Price	Dealer Price
<b>Whip Antennas NMO Mounted (Roof Mounted)</b>							
<b>Maxrad - Max Base Series</b>							
BMAX824/1850	824-896 / 1850-1990 DB MAX BASE ANT, BLK	< 1.5:1	Unity	Vertical	.1 " S-Steel	34.44	Call
BMAXC24503	2.4-2.5 GHZ,3DB,CCC,BLK	< 1.5:1	3	Vertical	.1 " S-Steel	35.71	Call
BMAXC24503-NL	2.4 - 2.5 GHZ, 3DB, CCC, BLK, NO LOGO	< 1.5:1	3	Vertical	.1 " S-Steel	35.71	Call
BMAXC24505	2.4 - 2.5 GHZ,5DB,CCC,BLK	< 1.5:1	5	Vertical	.1 " S-Steel	37.43	Call
MAXC24503	2.4-2.5GHZ,3DB,CCC,CHR	< 1.5:1	3	Vertical	.1 " S-Steel	27.47	Call
MAXC24505	2.4 - 2.5GHZ,5DB,CCC,CHR	< 1.5:1	5	Vertical	.1 " S-Steel	32.86	Call
<b>Elevated Feed</b>							
MEFC24005	2.4 GHZ, 5DBI, ELEVATED FEED ANTENNA	< 1.5:1	5	Vertical	.1 " S-Steel	89.95	Call
BMEFC24005	2.4 GHZ, 5DBI, BLACK ELEVATED FEED	< 1.5:1	5	Vertical	.1 " S-Steel	101.95	Call
MEFC49005	5.5 DBI, 4.9 GHZ ELEVATED FEED ANT	< 1.5:1	5	Vertical	.1 " S-Steel	138.00	Call
<b>Economical 1/4 wave Whips</b>							
MUF18000	1.8-1.9 GHZ, UNITY, 1/4 WV,CHR	< 2.0:1	Unity	Vertical	.062" S-Steel	7.84	Call
MUF19000	1.9-2.0 GHZ, UNITY 1/4 WV,CHR	< 2.0:1	Unity	Vertical	.062" S-Steel	7.84	Call
BMUF18000	1.7-1.9 GHZ,UNITY WHIP,BLACK	< 2.0:1	Unity	Vertical	.062" S-Steel	14.10	Call
BMUF19000	1.9-2.0 GHZ, UNITY WHIP,BLACK	< 2.0:1	Unity	Vertical	.062" S-Steel	14.10	Call
MUF24005	2.4 GHZ,5DB,OPEN COIL,CHR	< 2.0:1	5	Vertical	.062" S-Steel	22.49	Call
<b>Antenna Specialist ASPDM Series - 10 watts * Superior Male/Female Contact Mount</b>							
ASPDM1965	ANT Cellular/PCS, Antenna only	< 2.0:1	3 / 3	Vertical	.09" S-Steel	33.75	Call
ASPDM1960M	ANT Cellular/PCS, Male/Female Mount w/ Cable	< 2.0:1	3 / 3	Vertical	.09" S-Steel	61.87	Call
ASPDM1960PCS	ANT Cellular/PCS, Male/Female Mount w/ Cable	< 2.0:1	3 / 3	Vertical	.09" S-Steel	65.00	Call
ASPDM1960S	ANT Cellular/PCS, Male/Female Mount w/ Cable	< 2.0:1	3 / 3	Vertical	.09" S-Steel	61.87	Call
ASPDM1960T	ANT Cellular/PCS, Male/Female Mount w/ Cable	< 2.0:1	3 / 3	Vertical	.09" S-Steel	61.87	Call
ASPDM1960U	ANT Cellular/PCS, Male/Female Mount w/ Cable	< 2.0:1	3 / 3	Vertical	.09" S-Steel	61.87	Call
<b>Integrated Magnet Mount</b>							
<b>Antenna Specialist - Integrated Mag Mounted Antenna * Ground Plane Required * Dura-Coat™-Finish - Max Power: 10 Watts</b>							
ASPRDM1994M	MAG MT ANT CELLULAR/PCS	< 2.0:1	3 / 3	Vertical	.09" S-Steel	50.00	Call
ASPRDM1994N	MAG MT ANT CELLULAR/PCS	< 2.0:1	3 / 3	Vertical	.09" S-Steel	56.25	Call
ASPRDM1994PC	MAG MT ANT CELLULAR/PCS	< 2.0:1	3 / 3	Vertical	.09" S-Steel	60.00	Call
ASPRDM1994S	MAGNET MOUNT CELLULAR/PCS	< 2.0:1	3 / 3	Vertical	.09" S-Steel	64.38	Call
ASPRDM1994T	MAG MT ANT CELLULAR/PCS	< 2.0:1	3 / 3	Vertical	.09" S-Steel	50.00	Call
ASPRDM1994TM	MAG MT ANT CELLULAR/PCS	< 2.0:1	3 / 3	Vertical	.09" S-Steel	55.00	Call
ASPRDM1994U	MAG MT ANT CELLULAR/PCS	< 2.0:1	3 / 3	Vertical	.09" S-Steel	50.00	Call
<b>Maxrad MDBM Series - Dual Band Cellular/PCS*High Mounting Force*Protects Vehicle Surface</b>							
MDBM800/1900MSMA	CELLULAR/PCS,13.12 CABL,SMA MALE	< 1.5:1	Unity	Vertical	.1 " S-Steel	47.08	Call
MDBM800/1900MTNC	CELLULAR/PCS,13.12 CABL,TNC,MALE	< 1.5:1	Unity	Vertical	.1 " S-Steel	47.08	Call
MDBM800/1900PL	CELLULAR/PCS, 13.12 CABLE, MINI UHF	< 1.5:1	Unity	Vertical	.1 " S-Steel	47.08	Call
	824-896/1850-1990 DB MAG MOUNT, FEMALE						
MDBM824/1850FFME	FME	< 1.5:1	Unity	Vertical	.1 " S-Steel	59.00	Call
MDBM824/1850MFME	824/1850 DUALBAND MAG MOUNT, MFME	< 1.5:1	Unity	Vertical	.1 " S-Steel	59.00	Call
MDBM824/1850MSMA	824-896/1850-1990 DB MAG MNT, MSMA	< 1.5:1	Unity	Vertical	.1 " S-Steel	59.00	Call
MDBM824/1850MTNC	824/896/1850-1990 DB MAG MNT, MTNC	< 1.5:1	Unity	Vertical	.1 " S-Steel	59.00	Call
MDBM824/1850PL	824-896/1850-1990 DB MAG MNT, MINI-UHF	< 1.5:1	Unity	Vertical	.1 " S-Steel	59.00	Call
<b>Maxrad BMMG Series - Dual Band Cellular/PCS*Miniature Mag Mount*High Efficiency Cable</b>							
BMMG824/1900FFME	824-896 MHZ 1850-1900 MHZ FFME 6' LMR100	< 1.5:1	2 / 6	Vertical	.062" S-Steel	73.45	Call
BMMG824/1900FSMA	824-896MHZ 1850-1900 MHZ, FSMA	< 1.5:1	2 / 6	Vertical	.062" S-Steel	73.45	Call
BMMG824/1900ML195MSMA	824-896 MHZ 1850-1900 MHZ MSMA 12' LMR195	< 1.5:1	2 / 6	Vertical	.062" S-Steel	78.70	Call
BMMG824/1900ML195MSMA /6	824-896 MHZ 1850-1900 MHZ MSMA 6 FT LMR195	< 1.5:1	2 / 6	Vertical	.062" S-Steel	78.70	Call
BMMG824/1900ML195NF	824-896 MHZ 1850-1900 MHZ 12' LMR195 NF	< 1.5:1	2 / 6	Vertical	.062" S-Steel	80.80	Call
BMMG824/1900ML195NM	824-896 MHZ, 1850-1900 MHZ, N MALE	< 1.5:1	2 / 6	Vertical	.062" S-Steel	80.80	Call
BMMG824/1900ML195RPC	824-896MHZ 1850-1900MHZ RPC 12' ML195	< 1.5:1	2 / 6	Vertical	.062" S-Steel	78.70	Call
BMMG824/1900MSMA	824-896 MHZ 1850-1900 MHZ MSMA 6' LMR100	< 1.5:1	2 / 6	Vertical	.062" S-Steel	73.45	Call
	824/896 MHZ 1850-1900 MHZ SMB PLUG 6'						
BMMG824/1900SMB	LMR100	< 1.5:1	2 / 6	Vertical	.062" S-Steel	73.45	Call
BMMG15000	1.45-1.55 GHZ UNITY MINI MAG MSMA	< 1.5:1	Unity	Vertical	.062" S-Steel	38.65	Call
BMMG18000BN	1.7-1.8 GHZ,UNITY MINI MAG,BNC	< 1.5:1	Unity	Vertical	.062" S-Steel	38.65	Call
BMMG18000C	1.7-1.8 GHZ,UNITY,MINI MAG,TNC	< 1.5:1	Unity	Vertical	.062" S-Steel	38.65	Call



BMAXC24505

MEFC






# Technical Equipment Distributors, Inc (TEDI)

## Mobile Antennas, 1700 - 5800 MHz

BMMG18000FSMA 1.7-1.8, UNITY, MINI MAG MT, FSMA < 1.5:1 Unity Vertical .062" S-Steel 38.65 Call

### Mobile Antennas - 1700 - 5800 MHz

Item Number	Description	VSWR	Gain (dBI)	Polarization	Radiator Material	List Price	Dealer Price
<b>Maxrad BMMG Series - (Continued)</b>							
BMMG19000ML195FSMA	1.850-1.99 GHZ UNITY, MINI MAG, FEMALE SMA	< 1.5:1	Unity	Vertical	.062" S-Steel	43.65	Call
BMMG19000ML195MSMA	1.850-1.99 GHZ UNITY GAIN MALE SMA	< 1.5:1	Unity	Vertical	.062" S-Steel	43.65	Call
BMMG19000ML195NCP	1.850-1.99 GHZ,UNITY,MINI-MAG,N CRP	< 1.5:1	Unity	Vertical	.062" S-Steel	43.65	Call
BMMG19000ML195NF	1.850 - 1.99 GHZ, UNITY, MINI-MAG NF	< 1.5:1	Unity	Vertical	.062" S-Steel	43.65	Call
BMMG19000MSMA	1.850-1.99 GHZ,UNITY,MAG, MSMA	< 1.5:1	Unity	Vertical	.062" S-Steel	38.65	Call
BMMG19000RAMMCX	1850-1.99 GHZ UNITY MAG MOUNT R/A MMCX	< 1.5:1	Unity	Vertical	.062" S-Steel	38.65	Call
BMMG19000UN	1.850-1.99 GHZ,UNITY,MINI MAG,UN	< 1.5:1	Unity	Vertical	.062" S-Steel	40.65	Call
BMMG24000BN	2.4 GHz,UNITY, MINI MAG,BNC CONN	< 1.5:1	Unity	Vertical	.062" S-Steel	38.65	Call
BMMG24000C	2.4GHZ ISM,UNITY,MINI MAG,TNC	< 1.5:1	Unity	Vertical	.062" S-Steel	38.65	Call
BMMG24000FSMA	2.4GHZ,ISM,UNITY,MINI MAG,FSMA	< 1.5:1	Unity	Vertical	.062" S-Steel	38.65	Call
BMMG24000FSMART	2.4GHZ,ISM,UNITY,MINI MAG,RVSM	< 1.5:1	Unity	Vertical	.062" S-Steel	38.65	Call
BMMG24000ML195C	2.4 GHz ISM,UNITY BMMG,ML195,C	< 1.5:1	Unity	Vertical	.062" S-Steel	43.65	Call
BMMG24000ML195MSMA	2.4GHZ ISM, UNITY BMMG,ML195,MSMA	< 1.5:1	Unity	Vertical	.062" S-Steel	43.65	Call
BMMG24000ML195NCP	2.4 GHz ISM,UNITY BMMG,ML195,NCP	< 1.5:1	Unity	Vertical	.062" S-Steel	45.65	Call
BMMG24000ML195NF	2.4 GHZ ISM, UNITY BMMG ML195 N FEM	< 1.5:1	Unity	Vertical	.062" S-Steel	45.65	Call
BMMG24000ML195RPC	2.4 GHz ISM,UNITY BMMG,ML195,RPC	< 1.5:1	Unity	Vertical	.062" S-Steel	43.65	Call
BMMG24000MMCXRA	2.4 GHz ISM, UNITY MINI MAG, MMCXRA	< 1.5:1	Unity	Vertical	.062" S-Steel	38.65	Call
BMMG24000MSMA	2.4GHZ ISM,UNITY,MINI MAG,MSMA	< 1.5:1	Unity	Vertical	.062" S-Steel	38.65	Call
BMMG24000MSMART	2.4GHZ,ISM,UNITY,MINI MAG,RVSM	< 1.5:1	Unity	Vertical	.062" S-Steel	38.65	Call
BMMG24000PL	2.4GHZ,ISM,UNITY,MINI MAG,MUHF	< 1.5:1	Unity	Vertical	.062" S-Steel	38.65	Call
BMMG24000RALU	2.4 GHZ ISM, UNITY, MINI MAG, RIGHT ANGLE LUCENT CONNECTOR	< 1.5:1	Unity	Vertical	.062" S-Steel	38.65	Call
BMMG24000RPC	2.4 GHz,ISM,UNITY,MINI MAG,RPC	< 1.5:1	Unity	Vertical	.062" S-Steel	38.65	Call
BMMG24000UN	2.4GZ,ISM,UNITY GAIN,MINIMAG,N	< 1.5:1	Unity	Vertical	.062" S-Steel	40.65	Call
BMMG24005BN	2.4 GHz, 5DB, MINI MAG, BNC CONNECTOR	< 1.5:1	5	Vertical	.062" S-Steel	50.65	Call
BMMG24005C	2.4 GHz,5DB,MINI MAG, TNC CONN	< 1.5:1	5	Vertical	.062" S-Steel	50.65	Call
BMMG24005C-NC	2.4GH,5DB,MINI MAG,NO CONN	< 1.5:1	5	Vertical	.062" S-Steel	49.65	Call
BMMG24005FFME	2.4GHZ,ISM,5DB,MINI MAG,FME F	< 1.5:1	5	Vertical	.062" S-Steel	50.65	Call
BMMG24005FSMA	2.4 GHz,ISM,5DB,MINI MAG,SMA FEMALE	< 1.5:1	5	Vertical	.062" S-Steel	50.65	Call
BMMG24005FSMART	2.4GHZ,5DB,MINI MAG,SMA FEMALE	< 1.5:1	5	Vertical	.062" S-Steel	50.65	Call
BMMG24005LU	2.4 GHz, 5DB, MINI MAG, LU CONN	< 1.5:1	5	Vertical	.062" S-Steel	50.65	Call
BMMG24005ML195BN	2.4 GHz, 2.5 DB, MINI MAG, ML195, BMC	< 1.5:1	5	Vertical	.062" S-Steel	55.65	Call
BMMG24005ML195C	2.4 GHz,5DB,MINI MAG,ML195,TNC	< 1.5:1	5	Vertical	.062" S-Steel	55.65	Call
BMMG24005ML195C-NC	2.4GHZ, 5DB, MINI MAG, ML195 NO CONN.	< 1.5:1	5	Vertical	.062" S-Steel	54.65	Call
BMMG24005ML195C-NL	2.4GHZ,MINI MAG,ML195,TNC,NL	< 1.5:1	5	Vertical	.062" S-Steel	55.65	Call
BMMG24005ML195FSMA	2.4 GHz,5DBMINI MAG,ML195,FSMA	< 1.5:1	5	Vertical	.062" S-Steel	55.65	Call
BMMG24005ML195MSMA	2.4GHZ,5DBMINI MAG,ML195,MSMA	< 1.5:1	5	Vertical	.062" S-Steel	55.65	Call
BMMG24005ML195MSMART	2.4 GHz,5dB,MINI MAG,ML195MSMART	< 1.5:1	5	Vertical	.062" S-Steel	55.65	Call
BMMG24005ML195NCP	2.4GHZ,5DB,ML195 MINI MAG,NCP	< 1.5:1	5	Vertical	.062" S-Steel	57.65	Call
BMMG24005ML195NF	2.4GHZ,5DB MINI MAG,ML195,NF	< 1.5:1	5	Vertical	.062" S-Steel	55.65	Call
BMMG24005ML195NM	2.4 GHz 5DB MINI MAG, ML195 NM	< 1.5:1	5	Vertical	.062" S-Steel	55.65	Call
BMMG24005ML195RARPBN	2.4 GHz, 5 DB, MINI MAG, ML195, RARPBN	< 1.5:1	5	Vertical	.062" S-Steel	55.65	Call
BMMG24005ML195RPC	2.4GHZ,5DB MINI MAG,ML195, RPC	< 1.5:1	5	Vertical	.062" S-Steel	55.65	Call
BMMG24005ML195RPMSMA	2.4,5DB MINI MAG,REV POL,MSMA	< 1.5:1	5	Vertical	.062" S-Steel	55.65	Call
BMMG24005ML195UN	2.4 GHz,ISM,5DB,MINI MAG,N	< 1.5:1	5	Vertical	.062" S-Steel	57.65	Call
BMMG24005MMCX	2.4 GHz 5 DB, MINI MAG, MMCX	< 1.5:1	5	Vertical	.062" S-Steel	50.65	Call
BMMG24005MSMA	2.4GHZ,ISM,5DB,MINI MAG,SMA MALE	< 1.5:1	5	Vertical	.062" S-Steel	50.65	Call
BMMG24005MSMART	2.4 GHz,5DB,MINI MAG,SMA,REV,THD,MALE	< 1.5:1	5	Vertical	.062" S-Steel	50.65	Call
BMMG24005PL	2.4GHZ,ISM,5DB,MINI UHF CONN	< 1.5:1	5	Vertical	.062" S-Steel	50.65	Call
BMMG24005RAMMCX	2.4 GHz, ISM, 5DB, MINI MAG, R/A MMCX PLUG	< 1.5:1	5	Vertical	.062" S-Steel	50.65	Call
BMMG24005RPBN	2.4 GHz, 5DB MINI MAG RPBN	< 1.5:1	5	Vertical	.062" S-Steel	50.65	Call
BMMG24005RPC	2.4 GHz,5 dB,MINI MAG, RPC	< 1.5:1	5	Vertical	.062" S-Steel	50.65	Call
BMMG24005RPMSMA	2.4GHZ,ISM,5DB,MINI MAG,RP MSMA	< 1.5:1	5	Vertical	.062" S-Steel	50.65	Call
BMMG24005UN	2.4GHZ,ISM,5DB,MINI MAG, N	< 1.5:1	5	Vertical	.062" S-Steel	52.65	Call
BMMG25000MSMA	2.5-2.7 GHz BLK MINI MAG, MSMA	< 1.5:1	Unity	Vertical	.062" S-Steel	38.65	Call
BMMG25005RPC	BMMG25005RPC	< 1.5:1	5	Vertical	.062" S-Steel	50.65	Call





# Technical Equipment Distributors, Inc (TEDI)

## Mobile Antennas, 1700 - 5800 MHz

### Mobile Antennas - 1700 - 5800 MHz

Item Number	Description	VSWR	Gain (dBi)	Polarization	Radiator Material	List Price	Dealer Price
<b>Glass Mounted</b>							
<b>Antenna Specialist - On Glass® Series - Precision Engineered * Patented Whip/Coil Design</b> <i>Low Profile Design * Straked Whip for Reduced Noise*APX = Installed Connector</i>							
APDM927M	ON-GLASS ANT CELLULAR / PCS	< 1.9:1	3 / 3	Vertical	.09" S-Steel w/ DuraCom	40.50	Call
APDM927PCS	ON-GLASS CELLULAR/PCS	< 1.9:1	3 / 3	Vertical	.09" S-Steel w/ DuraCom	50.50	Call
APDM927T	ON-GLASS ANT. CELLULAR / PCS	< 1.9:1	3 / 3	Vertical	.09" S-Steel w/ DuraCom	40.50	Call
APDM927U	ON-GLASS ANT CELLULAR / PCS	< 1.9:1	3 / 3	Vertical	.09" S-Steel w/ DuraCom	40.50	Call
APDM928	ON GLASS CELLULAR/PCS	< 1.9:1	3 / 3	Vertical	.09" S-Steel w/ DuraCom	59.99	Call
APDM928.1M	ON GLASS CELLULAR/PCS	< 1.9:1	3 / 3	Vertical	.09" S-Steel w/ DuraCom	57.48	Call
APDM928.1PCS	ON-GLASS ANT CELLULAR/PCS	< 1.9:1	3 / 3	Vertical	.09" S-Steel w/ DuraCom	52.48	Call
APDM928.1T	ON GLASS CELLULAR/PCS	< 1.9:1	3 / 3	Vertical	.09" S-Steel w/ DuraCom	57.48	Call
APDM928.1U	ON GLASS CELLULAR/PCS	< 1.9:1	3 / 3	Vertical	.09" S-Steel w/ DuraCom	57.48	Call
APDM928M	ON-GLASS CELLULAR/PCS	< 1.9:1	3 / 3	Vertical	.09" S-Steel w/ DuraCom	63.99	Call
APDM928M/T	ON-GLASS ANT. CELLULAR/PCS	< 1.9:1	3 / 3	Vertical	.09" S-Steel w/ DuraCom	24.20	Call
APDM928PCS	ON-GLASS CELLULAR/PCS	< 1.9:1	3 / 3	Vertical	.09" S-Steel w/ DuraCom	59.95	Call
APDM928S	ON GLASS CELLULAR/PCS	< 1.9:1	3 / 3	Vertical	.09" S-Steel w/ DuraCom	63.99	Call
APDM928T	ON-GLASS CELLULAR/PCS	< 1.9:1	3 / 3	Vertical	.09" S-Steel w/ DuraCom	63.99	Call
APDM928TM	ON-GLASS ANT CELLULAR/PCS	< 1.9:1	3 / 3	Vertical	.09" S-Steel w/ DuraCom	52.48	Call
APDM928U	ON-GLASS CELLULAR/PCS	< 1.9:1	3 / 3	Vertical	.09" S-Steel w/ DuraCom	63.99	Call



### Low Profile / Transit Antennas

<b>NMO Mounted</b>							
<b>Maxrad MLPV Low Profile Vertical Antennas</b>							
<i>1700-5800 GHz Models are 3.38 in. Max NMO Mountable * No Tuning Required</i>							
<b>Standard (Black Over Chrome)</b>							
MLPV1700	LOW PROFILE VERTICAL 1700-2500, BLACK	< 1.5:1	4	Vertical	Brass Rod	40.00	Call
MLPV1700-NL	MLPV1700 WITH NO LOGO	< 1.5:1	4	Vertical	Brass Rod	40.00	Call
MLPVD800/1900	MLPV DUAL-BAND 806-960 & 1710-1990 MHZ	< 1.5:1	3	Vertical	Brass Rod	47.25	Call
MLPVD800/1900S	MLPVD 800/1900, SHORT HSG	< 1.5:1	3	Vertical	Brass Rod	47.25	Call
<b>White (White Over Chrome)</b>							
WMLPV1700	LOW PROFILE VERT., 1700-2500 MHZ, WHITE	< 1.5:1	4	Vertical	Brass Rod	40.00	Call
WMLPV1700-NL	LOW PROF VERT 1700-2500, WHITE NO-LOGO	< 1.5:1	4	Vertical	Brass Rod	40.00	Call
WMLPVD800/1900	WMLPV DUAL-BAND 806-960 & 1710-1990 MHZ	< 1.5:1	3	Vertical	Brass Rod	47.25	Call
WMLPVD800/1900-NL	WMLPV DUAL BAND 806-960/1710-1990 MHZ NO LOGO	< 1.5:1	3	Vertical	Brass Rod	47.25	Call
WMLPVD800/1900S	MLPVD 800/1900 SHRT HSG, WHT	< 1.5:1	3	Vertical	Brass Rod	47.25	Call
WMLPVD902/2400	WMLPV 902-928, 2300-2500 MHZ	< 1.5:1	3	Vertical	Brass Rod	47.25	Call
WMLPVD902/2400S	MLPVD 902/2400, SHRT HSG, WHT	< 1.5:1	3	Vertical	Brass Rod	47.25	Call
<b>Black (Black Over Black)</b>							
BMLPV1700	LOW PROFILE VERT., 1700-2500, BLK/BLK	< 1.5:1	4	Vertical	Brass Rod	40.00	Call
BMLPV1700-NL	LOW PROFILE VERTICAL 1700-2500 MHZ	< 1.5:1	4	Vertical	Brass Rod	Call	Call
BMLPVD800/1900	BLK MLPV 806-960 & 1710-1990 MHZ	< 1.5:1	3	Vertical	Brass Rod	47.25	Call
BMLPVD800/1900HD	MLPV DLBND 806-950 1710-1990, BLK, HD	< 1.5:1	3	Vertical	Brass Rod	55.60	Call
BMLPVD902/2400	BMLPV 902-928, 2300-2500 MHZ	< 1.5:1	3	Vertical	Brass Rod	47.25	Call
BMLPVD902/2400S	BMLPV 902-928/2300 - 2500 MHZ STUNT	< 1.5:1	3	Vertical	Brass Rod	45.00	Call





# Technical Equipment Distributors, Inc (TED)

## Mobile Antennas, 1700 - 5800 MHz

### Mobile Antennas - 1700 - 5800 MHz

Item Number	Description	VSWR	Gain (dBI)	Polarization	Radiator Material	List Price	Dealer Price
-------------	-------------	------	------------	--------------	-------------------	------------	--------------

#### Antenex Phantom™ Low Profile Antennas

*UHF Models are 3.30 in. \* NMO or Permanent Mountable \* No Tuning Required  
Full Field Diversity \* Receives Multi-path or Opposite Polarized Signals*

NMO Mount			dB Meg				
TRAB16003	1600-1850 3DB TRANST 3/4 NMO MOUNT (Min order 25 units)	< 1.5:1	3	Full Field	PC Board	72.98	Call
TRA17753	1775-1825 3DB TRANST 3/4 MOUNT (Min order req)	< 1.5:1	3	Full Field	PC Board	72.98	Call
TRAB17753	Blk 1775-1825 MHz 3dB transit 3/4 mt	< 1.5:1	3	Full Field	PC Board	72.98	Call
ETRA18503	(Eng) 1750-1950MHz 3dBMEG Phantom Elite in white w/NMO mount	< 1.5:1	3	Full Field	PC Board	45.00	Call
ETRA18503	(ENG)BLK 1850-1970 3dB TRNST 3/4 MT	< 1.5:1	3	Full Field	PC Board	45.00	Call
TRA18503	1850-1970 3DB TRANST 3/4 MOUNT	< 1.5:1	3	Full Field	PC Board	45.00	Call
TRA18503N	(Eng)1850-1990 3DB NGP TRNST 3/4 MT (Min order 25 units)	< 1.5:1	3	Full Field	PC Board	41.08	Call
TRAB18503	BLK 1850-1970 3dB TRNST 3/4 MT	< 1.5:1	3	Full Field	PC Board	45.00	Call
TRAB18503N	(Eng)1850-1970 3dB NGP Phantom in black 3/4 mount	< 1.5:1	3	Full Field	PC Board	79.23	Call
TRA2100	210-225 Mhz White Phantom custom tuned @ ***,* unity ga	< 1.5:1	3	Full Field	PC Board	72.00	Call
TRAB2100	Black 210-225 MHz unity gain Phantom NMO mountable	< 1.5:1	3	Full Field	PC Board	72.00	Call
TRA21303	(Eng) 2130-2200 3DB TRANSIT 3/4 MNT	< 1.5:1	3	Full Field	PC Board	72.98	Call
TRA21303N	(Eng) 2130-2200 3dB NGP TRNST PRM MT	< 1.5:1	3	Full Field	PC Board	79.23	Call
TRAB21303	(Eng) BLK 2130-2200 3dB TRNST 3/4 MT	< 1.5:1	3	Full Field	PC Board	72.98	Call
TRAB21303N	(Eng) BLK 2130-2200 3dB NGP TRN PRMT	< 1.5:1	3	Full Field	PC Board	79.23	Call
ETRA24003	(ENG)2400-2500 3dB TRANSIT 3/4 MT	< 1.5:1	3	Full Field	PC Board	38.70	Call
ETRA24003	(ENG) Black 2400-2500 MHz 3 dB MEG Elite	< 1.5:1	3	Full Field	PC Board	38.70	Call
TRA24003	G-2400-2500 3dB TRANSIT 3/4 MT	< 1.5:1	3	Full Field	PC Board	38.70	Call
TRA24003N	2400-2500 3dB TRNST NGP 3/4 MT	< 1.5:1	3	Full Field	PC Board	41.08	Call
TRAB24003	G-BLK 2400-2500 3dB TRNST 3/4 MT	< 1.5:1	3	Full Field	PC Board	38.70	Call
TRAB24003N	BLK 2400-2500 3dB TRNS NGP 3/4	< 1.5:1	3	Full Field	PC Board	41.08	Call



#### Permanent Stud Mount

TRA18503NP	(Eng)1850-1970 3DB NGP TRNS PERM MT	< 1.5:1	3	Full Field	PC Board	65.13	Call
TRA18503P	1850-1970 3dB MEG Phantom permanent stud mount	< 1.5:1	3	Full Field	PC Board	65.13	Call
TRAB18503NP	(Eng)BLK 1850-1970 3dB NGP TRNS PRM	< 1.5:1	3	Full Field	PC Board	100.08	Call
TRAB18503P	BLK 1850-1970 3dB TRNST PRM MT	< 1.5:1	3	Full Field	PC Board	65.13	Call
TRA20003P	(Eng) 2000-2100MHz 3dB TRANSIT PRM MNT	< 1.5:1	3	Full Field	PC Board	85.13	Call
TRA24003CM	G - Phantom antenna with acoustical ceiling tile mount.	< 1.5:1	3	Full Field	PC Board	100.13	Call
TRA24003NP	G-2400-2500MHz 3dB TRNST NGP PRM MT	< 1.5:1	3	Full Field	PC Board	65.13	Call
TRA24003P	G-2400-2500 3dB TRANSIT PRM MNT	< 1.5:1	3	Full Field	PC Board	65.13	Call
TRA24003WM	G - Phantom antenna with "L bracket" wall mo	< 1.5:1	3	Full Field	PC Board	69.63	Call
TRAB24003DTM	(Eng) Black Phantom Desk Top Range Extender	< 1.5:1	3	Full Field	PC Board	107.59	Call
TRAB24003NP	BLK 2400-2500 3dB TRN NGP PRMT	< 1.5:1	3	Full Field	PC Board	65.13	Call
TRAB24003P	BLK 2400-2500 3dB TRNST PRM MT	< 1.5:1	3	Full Field	PC Board	65.13	Call



#### Maxrad - MMSO

MMSO2300	2.4 GHz MINI, BLKHD, FLYING LEAD	< 1.5:1	Unity	Vertical	Copper	25.00	Call
MMSO2300PTMMCX	2.4 GHz MINI BULKHEAD ANT, MMCX	< 1.5:1	Unity	Vertical	Copper	29.00	Call
MMSO2300PTMSMA	2.4 GHz MINI, BLKHD ANT, MSMA	< 1.5:1	Unity	Vertical	Copper	29.00	Call
MMSO2300PTMSMARA	2.4 GHz MINI BLKHEAD ANT RA MSMA	< 1.5:1	Unity	Vertical	Copper	29.00	Call
MMSO2300PTMSMARP	2.4 GHz MINI BLK HD ANTENNA, MSMARP	< 1.5:1	Unity	Vertical	Copper	29.00	Call
MMSO2300PTRPC	2.4 GHz MINI, BLKHD ANT, RPC	< 1.5:1	Unity	Vertical	Copper	29.00	Call



#### Integrated Connector Mount

##### MaxRad - MN Series

MN24003	3 DBI, 2.4 GHZ TYPE N BASE MOBILE					35.89	Call
---------	-----------------------------------	--	--	--	--	-------	------